


TIRE REPLACEMENT

FRONT TIRE REPLACEMENT:

STEP 1: Unfold the front wheels and block up the cart so that one of the front wheels is off of the work surface. (See Fig 1)



STEP 2: Remove the cap from the center of the wheel using pliers. (See Fig 2) Remove the axle nut using a 1/2" wrench. Remove the washer and slide the wheel off of the axle. (See Fig 3-4) Note: There is also a thin washer on the other side of the wheel. This washer may stick to the wheel bushing.



Remove the washer from the bushing and slide it back onto the axle. (See Fig 5) Pry the old tire off of the wheel. If necessary, clean any dirt from the outside of the wheel and the outer rim.



STEP 3: Coat the inside of the new tire and the outer wheel with mineral spirits (paint thinner). Soapy water may be substituted if mineral spirits is not available. DO NOT use any oil based products which will not evaporate. (See Fig 6-7)

Start the tire around the wheel as shown. (See Fig 8) Continue working the tire onto the wheel in



small increments. (See Fig 9) Although one person can assemble the tire alone, it is easier if you have an extra pair of hands to help. Center the tire on the wheel. Wipe the axle clean, apply a thin coat of silicone spray, make sure that the thin washer is installed on the axle, and reinstall



the wheel. Install the outer washer and tighten the axle nut until the wheel just spins freely. Reinstall the plastic cap.

TIRE REPLACEMENT

REAR TIRE REPLACEMENT

STEP 1: Determine if your cart has a removable or a non-removable yoke. Remove the rear wheel following the appropriate instructions.



STEP 2: Pry the old tire off of the wheel. If necessary, clean any dirt from the outside of the wheel and the outer rim. Check the crown of the wheel. If any **sharp ridge** is felt where the two halves of the wheel are glued together, sand or file until the ridge is smooth. (See Fig 1-2) This may help alleviate some tire wear.



STEP 3: Coat the inside of the new tire and the outer wheel with mineral spirits (paint thinner).(See Fig 3-4)

Soapy water may be substituted if mineral spirits is not available. **DO NOT** use any oil based products which will not evaporate.



Start the tire around the wheel as shown.(See Fig 5)
Continue working the tire onto the wheel in small increments. Although one person can assemble the tire alone, it is easier if you have an extra pair of hands to help.(See Fig 6)



Center the tire on the wheel.
Reinstall the wheel on the cart following the appropriate instructions.



ONE YEAR LIMITED WARRANTY

For one year from the date of purchase of the ORIGINAL owner, if the Dynamis remote control golf cart is operated and maintained according to the instructions in the owner's manual, J-Tech will repair or replace, free of charge any part found to be defective in material or workmanship. **Customers are responsible for freight charges for returning products to the factory.**

This warranty does not cover:

Expendable items which become worn during normal use, such as tires, drive belts, keypads, transmitter batteries, main battery (s) etc.

Repairs necessary because of operator abuse, negligence, accident, or failure to maintain or operate according to the owners manual.

Golf carts used for commercial or rental purposes.

Limited 6 month warranty on Battery

For 6 months from the date of purchase, if any 12 volt or 24 volt battery included with Dynamis proves defective in material or workmanship and our testing determines the battery will not hold a charge, J-Tech will replace the battery free of charge.

**IF THE REAR COVER ON THE ROUND ELECTRONICS MODULE IS REMOVED
OR ANY MODIFICATIONS MADE TO THE UNIT THE WARRANTY WILL BE
VOIDED!!**

**WARRANTY SERVICE IS AVAILABLE BY CONTACTING J-TECH
CUSTOMER SERVICE AT
800-816-9303 OR 406-756-9131 FROM 9 A.M. -4 P.M. MST
OR www.dynamisservice.com**

This warranty gives you specific legal rights,
and you may also have other rights which may vary from state to state.
J-Tech Inc., 3243 Hwy 93 South, Kalispell, MT 59901

Please have serial number available when calling customer service.